

# ABRAM

## UP & DOWN



Bulkhead lamp with UP&DOWN light emission, available in three different sizes and wattage versions. Made of shockproof resin material, UV-rays stabilized, rust and corrosion-free. Supplied with TÜV certified, long-life, efficient and **Kelvin settable R7s LED lamps included**. Insulation class II, Protection rating IP55.

*Plafoniera con emissione della luce UP&DOWN, disponibile in tre diverse misure e potenze. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Fornita con inclusa lampadina a LED R7s con Kelvin impostabile, certificata TÜV, di lunga durata ed elevata efficienza. Classe di isolamento II, grado di protezione IP55.*




AB1.000.J1K

**CCT SETTABLE**

SDCM < 6

2700 K 4000 K 6500 K



**ABRAM - COMPONENTS**

IP55



**COVER** made in shockproof resin material, UV-rays stabilized, rust and corrosion free. Designed for getting up&down light emission. Three different sizes available.

**COVER** realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione. Disegnata per ottenere un'emissione bidirezionale della luce. Disponibile in tre diverse misure.

Clear **MODULE** made in shockproof resin material, UV-rays stabilized, consisting of a cover and a base suitable for the electrical devices fixation. Provided with silicone rubber gasket to ensure high protection against external agents and supplied complete with **R7s led lamp**.

**MODULO** trasparente realizzato in resina antiurto stabilizzata ai raggi UV, composto da un coperchio e da una base, adatta ad alloggiare gli accessori elettrici. Provvisto di guarnizione in gomma siliconica per garantire un alto livello di protezione contro gli agenti esterni e fornito completo di lampadina led R7s.

**Wall BASE** designed for hosting the led module. Made in shockproof resin material, UV-rays stabilized, rust and corrosion free.

**BASE** a muro disegnata per accogliere il modulo led. Realizzata in resina antiurto, stabilizzata ai raggi UV, inattaccabile da ruggine e corrosione.

**ABRAM**

— 155/195/265 —



**Dimensions and weight**

Width: 155/195/265 mm  
Height: 120 mm  
Depth: 60 mm  
Weight: 0,36/0,44/0,60 Kg

**Moulded colours:**

Black White Grey

**Diffuser PC:**

Clear

**LED LAMPS**






Comply with: EU2019/2015  
EU2019/2020  
Technical details on page 596.

**R7s LED**

**100 - 240 V**




LAMP	POWER	LUMINOUS FLUX UP TO	COLOUR TEMP.	*ADD. SUFFIX
 R7s LED 78	<b>3,5 W</b>	<b>365 lm</b>	6500 K	.J1K
			4000 K	
			2700 K	
 R7s LED 118	<b>7,5 W</b>	<b>790 lm</b>	6500 K	.K1K
			4000 K	
			2700 K	
 R7s LED 189	<b>10,5 W</b>	<b>1160 lm</b>	6500 K	.P1K
			4000 K	
			2700 K	

Up&down bulkhead supplied with TÜV certified, long-life, efficient and **Kelvin settable R7s LED lamp included**. Different wattages available. Quick and easy lamp replacement for a very simple maintenance after installation.

- **COST SAVING:** long-life and efficient LED light sources.
- **BUILT-IN DRIVER:** quick and easy lamp replacement.
- **GREAT FLEXIBILITY:** R7s standard lamp holder.
- **FUTURE-PROOFED LUMINARIES:** performances easy to upgrade to latest technology developments.
- **SUITABLE FOR OUTDOOR USE:** built-in driver fully protected against heat and humidity by silicone paste.

**CCT SETTABLE LED LAMP**




CCT switch settable in three different positions, to select the desired Kelvin temperature (2700K/4000K/6500K) and get a customized ambience.

\* ADD THESE SUFFIXES TO THE REFERENCES MENTIONED IN THE CATALOGUE

# ABRAM

UP&DOWN





**ABRAM 150** AB1.000.J1K

**3,5W**

CCT SETTABLE R7s LED LAMP INCLUDED  
2700K/4000K/6500K

Pcs 30  
Kg 11  
mc 0,057

**ABRAM 190** AB2.000.K1K

**7,5W**

CCT SETTABLE R7s LED LAMP INCLUDED  
2700K/4000K/6500K

Pcs 30  
Kg 13,3  
mc 0,057

**ABRAM 270** AB3.000.P1K

**10,5W**

CCT SETTABLE R7s LED LAMP INCLUDED  
2700K/4000K/6500K

Pcs 14  
Kg 8,5  
mc 0,057